RAK
CERAMICS



SIGNATURE
COLLECTION

BALTICO

MADE IN UNITED ARAB EMIRATES



SIGNATURE
COLLECTION

BALTICO

Baltico is an impressive collection of high performance stone effect porcelain tiles featuring Anti-slip Soft technology. This innovative technology not only provides excellent slip resistance, but also a pleasant tactile experience thanks to a unique roughness that is imperceptible to the touch.

The surface of Baltico offers exceptional slip resistance and at the same time a smoother surface that is pleasant to the touch. These tiles have technical properties that improve the safety and functionality of floors. They are therefore suitable for both indoor and outdoor use in commercial and residential spaces. As this tile is a wall and floor tile, it offers the opportunity to extend the space, while maintaining a unique and subtle touch.

Baltico is available in three different colours: beige, grey and light grey and in various formats, including 1200x1200, 600x600 and 300x600.

INNOTECH KLIMA RAK CERAMICS LAB

INNOTECH RAK CERAMICS LAB

RAK
CERAMICS

BALTICO

03 BEIGE

04 LIGHT GREY

05 GREY

06 TECHNICAL INFORMATION



The Anti-slip Barefoot + Technology gives these tiles excellent non-slip performance and a pleasant feel, with a special roughness imperceptible to the touch.

With their technical characteristics that increase the safety and functionality of floors, they are ideal for indoor and outdoor applications for both commercial and residential settings.

Kilma is a new generation ceramic glaze that is able to resist to cold or warm temperatures according to individual needs and keep the same temperature as the surrounding environment.

For indoor flooring, Klima retains room heat and releases it over the entire surface. For outdoor flooring, it resists to the heat from sunlight and remains cool to walk on with bare feet.



P/T PORCELAIN TILE

WALL TILES

RECTIFIED

FLOOR TILES

LS LIGHT STRUCTURE

DOMESTIC PURPOSE

V2 LIGHT

LIGHT COMMERCIAL TRAFFIC AREA

M MATTE

PORCELAIN

Baltico

RAK CERAMICS

SIGNATURE COLLECTION





BEIGE





SIZE	FINISH	m²/SHEET	PCS/CTN	CTN/PALLET	m²/PALLET	KGS/PALLET	P RATING	FACES
300x600mm	Matte	0.18	6	48	51.84	1152	P4	24
600x600mm	Matte	0.36	4	30	42.6	915	P4	24
600x1200mm	Matte	0.72	2	30	43.2	910	P4	12






PORCELAIN

Baltico



RAK CERAMICS

SIGNATURE COLLECTION



GREY





SIZE	FINISH	m²/SHEET	PCS/CTN	CTN/PALLET	m²/PALLET	KGS/PALLET	P RATING	FACES
300x600mm	Matte	0.18	6	48	51.84	1152	P4	24
600x600mm	Matte	0.36	4	30	42.6	915	P4	24
600x1200mm	Matte	0.72	2	30	43.2	910	P4	12





PORCELAIN

Baltico

RAK CERAMICS

SIGNATURE COLLECTION




LIGHT GREY





SIZE	FINISH	m²/SHEET	PCS/CTN	CTN/PALLET	m²/PALLET	KGS/PALLET	P RATING	FACES
300x600mm	Matte	0.18	6	48	51.84	1152	P4	24
600x600mm	Matte	0.36	4	30	42.6	915	P4	24
600x1200mm	Matte	0.72	2	30	43.2	910	P4	12





TECHNICAL CHARACTERISTICS | PORCELAIN TILES

Test Description	Standard Test Method	ISO 13006 Standard	(Rectified)	(Unrectified)
Length & Width	BS EN ISO 10545-2	±- 0.6%	±- 0.1%	±- 0.3%
Thickness	BS EN ISO 10545-2	± -5.0%	± -5.0%	± -5.0%
Rectangle Squareness	BS EN ISO 10545-2	± -0.5%	± -0.2%	± -0.4%
Straightness of sides	BS EN ISO 10545-2	± -0.5%	± -0.2%	± -0.3%
Surface Flatness	BS EN ISO 10545-2	± -0.5%	± -0.3%	± -0.3%
Water Absorption	BS EN ISO 10545-3	<=0.5%	<=0.4%	<=0.4%
Modulus of Rupture	BS EN ISO 10545-4	>=35 N/mm²	>=40 N/mm²	>=40 N/mm²
Breaking Strength	BS EN ISO 10545-4	>=1300 N	>=1600 N	>=1600 N
Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	PEI Class 2-5	PEI Class 2-5
Linear Thermal Expansion	BS EN ISO 10545-8	<=9x10^{-6}°C^{-1}	<=7x10^{-6}°C^{-1}	<=7x10^{-6}°C^{-1}
Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing	No crazing
Frost Resistance	BS EN ISO 10545-12	No visible defect	No visible defect	No visible defect
Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
Resistance to stains	BS EN ISO 10545-14	Manufacturer to state Class	Stain removed Min.Class 4	Stain removed Min.Class 4
Colour Resistance to UV Light	DIN 51094	No change in colour	No change in colour	No change in colour

NOTE: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended.



RAK CERAMICS

SIGNATURE COLLECTION

PORCELAIN | BALTICO

Beige

RAK
CERAMICS

P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)

TEL: +971 7 2467000
FAX: +971 7 2445270
EMAIL: info@rakceramics.com

rakceramics.com

EXCLUSIVELY DISTRIBUTED BY:

STONE & CERAMIC
TILE WHOLESALERS