

RAK
CERAMICS

RAPOLANO MARBLE

MADE IN UNITED ARAB EMIRATES



RAPOLANO MARBLE

Design your luxury interiors with a timeless charm. A wide and varied range of collections inspired by the elegance of marble to offer hundreds of solutions for residential areas, the hospitality industry and business places.

Revised classy marble and granite patterns displaying elegant veins which remodel spaces, creating sophisticated ambiances.

When you chose a marble looking tile, you chose the timeless beauty of one of the finest materials in nature, combining it with all the advantages of porcelain and ceramic tiles in terms of performance, durability and ease of laying and maintenance.

INNOTECH
RAK CERAMICS
KLIMA
RAK CERAMICS LAB

RAK CERAMICS

RAPOLANO MARBLE







03 BEIGE

04 LIGHT BEIGE

05 WHITE

06 TECHNICAL INFORMATION

INNOTECH

RAK CERAMICS

KLIMA

RAK CERAMICS LAB

Kilma is a new generation ceramic glaze that is able to resist to cold or warm temperatures according to individual needs and keep the same temperature as the surrounding environment.

For indoor flooring, Klima retains room heat and releases it over the entire surface. For outdoor flooring, it resists to the heat from sunlight and remains cool to walk on with bare feet.

P/T PORCELAIN TILE

RECTIFIED

V2 LIGHT

M MATTE

S SMOOTH

EXTERNAL 2CM

WALL TILES

FLOOR TILES

DOMESTIC PURPOSE

LIGHT COMMERCIAL TRAFFIC AREA

PORCELAIN

Rapolano Marble

NATURAL BEAUTY. ENDURING SPACES.

RAK CERAMICS




BEIGE

REFINED WARMTH FOR
ELEVATED LIVING

This colour offers a sophisticated interpretation of natural stone, enriched with soft warm undertones and subtle marbled texture. Elegant yet approachable, it lends a sense of comfort and quiet luxury to both residential and commercial settings. Create a surface that feels balanaced, timeless and effortlessly livable.







TECHNICAL SPECIFICATIONS

SIZE	300x600mm	600x600mm	600x600mm	600x1200mm
FINISH	Matte	Matte	Ext. 2cm	Matte
m²/SHEET	0.18	0.36	0.36	0.72
PCS/CTN	6	4	4	2
CTN/PALLET	48	30	30	30
m²/PALLET	51.84	43.2	43.2	43.2
KGS/PALLET	1152	915	915	915
P/R RATING	R9	R9	P5	R9
FACES	18	9	9	9

Rapolano Marble

NATURAL BEAUTY. ENDURING SPACES.

RAK CERAMICS




LIGHT BEIGE

SOFT WARMTH FOR
CONTEMPORARY LIVING

Capturing the quiet elegance of natural stone in a soft, warm neutral tone. The gentle light beige character brightens interiors and exteriors creating a calm and welcoming atmosphere, pairing effortlessly with timber, stone, and natural finishes. Refined yet versatile, it is an ideal choice for both residential and commercial spaces seeking a timeless, understated look.







TECHNICAL SPECIFICATIONS

SIZE	300x600mm	600x600mm	600x600mm	600x1200mm
FINISH	Matte	Matte	Ext. 2cm	Matte
m²/SHEET	0.18	0.36	0.36	0.72
PCS/CTN	6	4	4	2
CTN/PALLET	48	30	30	30
m²/PALLET	51.84	43.2	43.2	43.2
KGS/PALLET	1152	915	915	915
P/R RATING	R9	R9	P5	R9
FACES	18	9	9	9

PORCELAIN

Rapolano Marble

NATURAL BEAUTY. ENDURING SPACES.

RAK CERAMICS




WHITE

A REFINED MARBLE LOOK
FOR CONTEMPORARY LIVING

Rapolano Marble captures the quiet elegance of natural stone, reimagined in durable porcelain. The soft texture and timeless character bring a sense of harmony to modern spaces.







TECHNICAL SPECIFICATIONS

SIZE	300x600mm	600x600mm	600x600mm	600x1200mm
FINISH	Matte	Matte	Ext. 2cm	Matte
m²/SHEET	0.18	0.36	0.36	0.72
PCS/CTN	6	4	4	2
CTN/PALLET	48	30	30	30
m²/PALLET	51.84	43.2	43.2	43.2
KGS/PALLET	1152	915	915	915
P/R RATING	R9	R9	P5	R9
FACES	18	9	9	9

RAK CERAMICS

TECHNICAL CHARACTERISTICS | PORCELAIN TILES

Test Description	Standard Test Method	ISO 13006 Standard	(Rectified)	(Unrectified)
Length & Width	BS EN ISO 10545-2	±- 0.6%	±- 0.1%	±- 0.3%
Thickness	BS EN ISO 10545-2	± -5.0%	± -5.0%	± -5.0%
Rectangle Squareness	BS EN ISO 10545-2	± -0.5%	± -0.2%	± -0.4%
Straightness of sides	BS EN ISO 10545-2	± -0.5%	± -0.2%	± -0.3%
Surface Flatness	BS EN ISO 10545-2	± -0.5%	± -0.3%	± -0.3%
Water Absorption	BS EN ISO 10545-3	<=0.5%	<=0.4%	<=0.4%
Modulus of Rupture	BS EN ISO 10545-4	>=35 N/mm²	>=40 N/mm²	>=40 N/mm²
Breaking Strength	BS EN ISO 10545-4	>=1300 N	>=1600 N	>=1600 N
Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	PEI Class 2-5	PEI Class 2-5
Linear Thermal Expansion	BS EN ISO 10545-8	<=9x10^{-6}°C^{-1}	<=7x10^{-6}°C^{-1}	<=7x10^{-6}°C^{-1}
Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect
Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing	No crazing
Frost Resistance	BS EN ISO 10545-12	No visible defect	No visible defect	No visible defect
Resistance to chemicals	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect
Resistance to stains	BS EN ISO 10545-14	Manufacturer to state Class	Stain removed Min.Class 4	Stain removed Min.Class 4
Colour Resistance to UV Light	DIN 51094	No change in colour	No change in colour	No change in colour

NOTE: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended.

RAK
CERAMICS



PORCELAIN | RAPOLANO MARBLE

Beige

RAK
CERAMICS

P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)

TEL: +971 7 2467000
FAX: +971 7 2445270
EMAIL: info@rakceramics.com

rakceramics.com

EXCLUSIVELY DISTRIBUTED BY:

STONE & CERAMIC
TILE WHOLESALERS